

HI-LITE PINS

PART NUMBER	HEAD STYLE	MATERIAL	SHEAR STRENGTH	SHANK DIAMETER	GRIP VARIATION	NEXT O/S	PIN DESCRIPTION
HST 10	PROTRUDING SHEAR	6AL-4V	95	STD	1/16	HST110	
HST 11	100 REDUCED FLUSH SHEAR	6AL-4V	95	STD	1/16	HST111	
HST 12	PROTRUDING TENSION	6AL-4V	95	STD	1/16	HST112	
HST 13	100 MS24694 FLUSH TENSION	6AL-4V	95	STD	1/16	HST113	
HST 18	PROTRUDING SHEAR	ALLOY STEEL	95	STD	1/16	HST118	
HST 19	100 REDUCED FLUSH SHEAR	ALLOY STEEL	95	STD	1/16	HST119	
HST 20	PROTRUDING TENSION	ALLOY STEEL	95	STD	1/16	HST120	
HST 21	100 MS24694 FLUSH TENSION	ALLOY STEEL	95	STD	1/16	HST121	
HST 22	PROTRUDING SHEAR	7075-T6	45	STD	1/16	HST122	
HST 22HT	PROTRUDING HI-TORQUE RECESS	6AL-4V	95	STD	1/16		HI-TORQUE RECESS
HST 23	100 MS20426 FLUSH SHEAR	7075-T6	45	STD	1/16	HST123	
HST 24	PROTRUDING SHEAR SPECIAL	A-286	95	STD	1/16		SPECIAL HEAD
HST 25	100 REDUCED FLUSH SHEAR CROWN	INCONEL 718	125	STD	1/16	HST125	
HST 27	100 REDUCED FLUSH SHEAR CROWN	A-286	95	STD	1/16		
HST 28	PROTRUDING SHEAR SPECIAL	6AL-4V	95	STD	1/16		SPECIAL HEAD
HST 29	100 MS24694 FLUSH TENSION	7075-T6	45	STD	1/16	HST129	
HST 31	100 REDUCED FLUSH SHEAR CROWN	6AL-4V	95	STD	1/16	HST131	
HST 33	100 MS24694 FLUSH CROWN TENSION	6AL-4V	95	STD	1/16		
HST 34	100 REDUCED FLUSH SHEAR	INCONEL 718	125	STD	1/16		STUD-THREADED WITH SHANK PORTION

HI-LITE PINS

PART NUMBER	HEAD STYLE	MATERIAL	SHEAR STRENGTH	SHANK DIAMETER	GRIP VARIATION	NEXT O/S	PIN DESCRIPTION
HST 35	100 REDUCED FLUSH SHEAR CROWN	6AL-4V	95	STD	1/16	HST135	
HST 36	100 REDUCED FLUSH SHEAR	A-286	95	STD	1/16		STUD END
HST 37	100 MS20426 FLUSH SHEAR CROWN	6AL-4V	95	STD	1/16	HST137	
HST 38	PROTRUDING SHEAR	ALLOY STEEL	95	STD	1/16		
HST 39	100 FLUSH SHEAR SEALING	6AL-4V	95	STD	1/16		SEALING APPLICATION
HST 40	PROTRUDING SHEAR	A-286	95	STD	1/16	HST140	
HST 41	100 REDUCED FLUSH SHEAR	A-286	95	STD	1/16	HST141	
HST 43	100 REDUCED FLUSH SHEAR	INCONEL 718	125	STD	1/16		
HST 46	PROTRUDING TENSION	A-286	95	STD	1/16	HST146	SPECIAL
HST 47	100 MS24694 FLUSH TENSION	A-286	95	STD	1/16	HST147	SPECIAL
HST 48	PROTRUDING TENSION	A-286	95	STD	1/16		
HST 49	100 MS24694 FLUSH TENSION	A-286	95	STD	1/16		
HST 52	PROTRUDING SHEAR	INCONEL 718	125	STD	1/16	HST152	
HST 53	100 MS24694 FLUSH TENSION	WASPALOY	95	STD	1/16		
HST 54	PROTRUDING TENSION	INCONEL 718	125	STD	1/16	HST154	
HST 55	100 REDUCED FLUSH SHEAR	WASPALOY	95	STD	1/16		
HST 57	100 REDUCED FLUSH SHEAR	INCONEL 718	125	STD	1/16	HST157	
HST 59	100 MS24694 FLUSH TENSION	INCONEL 718	125	STD	1/16	HST159	
HST 102	PROTRUDING TENSION	6AL-6V-2SN	108	STD	1/16		

HI-LITE PINS

PART NUMBER	HEAD STYLE	MATERIAL	SHEAR STRENGTH	SHANK DIAMETER	GRIP VARIATION	NEXT O/S	PIN DESCRIPTION
HST 104	PROTRUDING TENSION	SPECIAL		STD	1/16		MATERIAL NOT AVAILABLE
HST 106	PROTRUDING TENSION	SPECIAL					MATERIAL NOT AVAILABLE
HST 108	PROTRUDING SHEAR	6AL-4V	95	STD	1/16		
HST 109	100 REDUCED FLUSH SHEAR	6AL-4V	95	STD	1/16		
HST 110	PROTRUDING SHEAR	6AL-4V	95	1/64	1/16	HST410	1/34 OVERSIZE FOR HST10
HST 111	100 REDUCED FLUSH SHEAR	6AL-4V	95	1/64	1/16	HST411	1/34 OVERSIZE FOR HST11
HST 112	PROTRUDING TENSION	6AL-4V	95	1/64	1/16	HST412	1/64 OVERSIZE FOR HST12
HST 113	100 MS24694 FLUSH TENSION	6AL-4V	95	1/64	1/16	HST413	1/64 OVERSIZE FOR HST13
HST 116	PROTRUDING TENSION	H-11	132	STD	1/16		
HST 118	PROTRUDING SHEAR	ALLOY STEEL	95	1/64	1/16	HST218	1/64 OVERSIZE FOR HST18
HST 119	100 REDUCED FLUSH SHEAR	ALLOY STEEL	95	1/64	1/16	HST219	1/64 OVERSIZE FOR HST19
HST 122	PROTRUDING SHEAR	7075-T73	45	1/64	1/16	HST222	1/64 OVERSIZE FOR HST22
HST 123	100 MS20426 FLUSH SHEAR	7075-T73	45	1/64	1/16	HST223	1/64 OVERSIZE FOR HST23
HST 124	PROTRUDING SHEAR SPECIAL	A-286	95	1/64	1/16		
HST 125	100 REDUCED FLUSH SHEAR CROWN	INCONEL 718	125	1/64	1/16		
HST 127	100 REDUCED FLUSH SHEAR CROWN	A-286	95	1/64	1/16		
HST 128	PROTRUDING SHEAR SPECIAL	6AL-4V	95	1/64	1/16		
HST 129	100 MS24694 FLUSH TENSION	7075-T73	45	1/64	1/16	HST429	1/64 OVERSIZE FOR HST29
HST 131	100 REDUCED FLUSH SHEAR CROWN	6AL-4V	95	1/64	1/16		1/64 OVERSIZE FOR HST31

HI-LITE PINS

PART NUMBER	HEAD STYLE	MATERIAL	SHEAR STRENGTH	SHANK DIAMETER	GRIP VARIATION	NEXT O/S	PIN DESCRIPTION
HST 133	100 MS24694 FLUSH CROWN TENSION	6AL-4V	95	1/64	1/16		
HST 134	PROTRUDING SHEAR	ALLOY STEEL	108	STD	1/16		
HST 134A	PROTRUDING SHEAR	ALLOY STEEL	108	STD	1/16		
HST 135	100 REDUCED FLUSH SHEAR CROWN	ALLOY STEEL	108	STD	1/16		
HST 135A	100 REDUCED FLUSH SHEAR CROWN	ALLOY STEEL	108	STD	1/16		
HST 140	PROTRUDING SHEAR	A-286	95	1/64	1/16	HST240	1/32 OVERSIZE FOR HST40
HST 141	100 REDUCED FLUSH SHEAR	A-286	95	1/64	1/16	HST241	
HST 145	100 MS20426 FLUSH SHEAR	6AL-4V	95	STD	1/16		STUD-THREADED WITH SHANK PORTION, HEX BOTH ENDS
HST 146	PROTRUDING TENSION	A-286	95	1/64	1/16	HST246	1/64 OVERSIZE FOR HST46
HST 147	100 MS24694 FLUSH TENSION	A-286	95	1/64	1/16	HST247	1/64 OVERSIZE FOR HST47
HST 152	PROTRUDING SHEAR	INCONEL 718	125	1/64	1/16	HST252	
HST 154	PROTRUDING TENSION	INCONEL 718	125	1/64	1/16	HST254	1/64 OVERSIZE FOR HST54
HST 157	100 REDUCED FLUSH SHEAR	INCONEL 718	125	1/64	1/16	HST257	1/64 OVERSIZE FOR HST57
HST 159	100 MS24694 FLUSH TENSION	INCONEL 718	125	1/64	1/16	HST259	1/64 OVERSIZE FOR HST59
HST 218	PROTRUDING SHEAR	ALLOY STEEL	95	1/32	1/16		1/32 OVERSIZE
HST 219	100 REDUCED FLUSH SHEAR	ALLOY STEEL	95	1/32	1/16		1/32 OVERSIZE
HST 222	PROTRUDING SHEAR	7075-T73	45	1/32	1/16		1/32 OVERSIZE
HST 223	100 MS20426 FLUSH SHEAR	7075-T73	45	1/32	1/16		1/32 OVERSIZE
HST 227	100 MS24694 FLUSH CROWN TENSION	A-286	95	1/32	1/16		1/32 OVERSIZE

HI-LITE PINS

PART NUMBER	HEAD STYLE	MATERIAL	SHEAR STRENGTH	SHANK DIAMETER	GRIP VARIATION	NEXT O/S	PIN DESCRIPTION
HST 228	PROTRUDING SHEAR SPECIAL	6AL-4V	95	1/32	1/16		1/32 OVERSIZE
HST 229	100 REDUCED FLUSH SHEAR	A-286	95	STD	1/16		STUD
HST 230	PROTRUDING SHEAR	A-286	95	STD	1/16		STUD-THREADED, HEX BOTH ENDS
HST 231	100 REDUCED FLUSH SHEAR CROWN	6AL-4V	95	1/32	1/16		1/32 OVERSIZE
HST 233	100 MS24694 FLUSH CROWN TENSION	6AL-4V	95	1/32	1/16		1/32 OVERSIZE
HST 234	PROTRUDING SHEAR	ALLOY STEEL		1/64	1/16		1/64 OVERSIZE
HST 235	100 REDUCED FLUSH SHEAR CROWN	ALLOY STEEL		1/64	1/16		1/64 OVERSIZE
HST 240	PROTRUDING SHEAR	A-286	95	1/32	1/16		1/32 OVERSIZE
HST 241	100 REDUCED FLUSH SHEAR	A-286	95	1/32	1/16		1/32 OVERSIZE FOR HST41
HST 245	100 MS20426 FLUSH SHEAR	6AL-4V	95	1/64	1/16		STUD-THREADED WITH SHANK PORTION, HEX BOTH ENDS, 1/64 OVERSIZE
HST 246	PROTRUDING TENSION	A-286	95	1/32	1/16		1/32 OVERSIZE FOR HST46
HST 247	100 MS24694 FLUSH TENSION	A-286	95	1/32	1/16		1/32 OVERSIZE FOR HST47
HST 248	PROTRUDING TENSION	A-286	95	1/64	1/16		1/34 OVERSIZE
HST 249	100 MS24694 FLUSH TENSION	A-286	95	1/64	1/16		1/64 OVERSIZE
HST 252	PROTRUDING SHEAR	INCONEL 718	125	1/32	1/16		
HST 254	PROTRUDING TENSION	INCONEL 718	125	1/32	1/16		1/32 OVERSIZE FOR HST54
HST 257	100 REDUCED FLUSH SHEAR	INCONEL 718	125	1/32	1/16		1/32 OVERSIZE FOR HST57
HST 259	100 MS24694 FLUSH TENSION	INCONEL 718	125	1/32	1/16		1/32 OVERSIZE FOR HST59
HST 305	130 FLUSH SHEAR	6AL-4V	95	STD	1/16	HST415	

HI-LITE PINS

PART NUMBER	HEAD STYLE	MATERIAL	SHEAR STRENGTH	SHANK DIAMETER	GRIP VARIATION	NEXT O/S	PIN DESCRIPTION
HST 310	PROTRUDING SHEAR	6AL-4V	95	STD	1/16		
HST 311	130 FLUSH SHEAR CROWN	ALLOY STEEL	95	STD	1/16		
HST 314	PROTRUDING SHEAR 2D	6AL-4V	95	STD	1/16		
HST 315	130 REDUCED FLUSH SHEAR CROWN	6AL-4V	95	STD	1/16	HST415	
HST 316	PROTRUDING SHEAR 2D	A-286	95	STD	1/16		
HST 317	130 FLUSH SHEAR	A-286	95	STD	1/16		
HST 318	PROTRUDING SHEAR 3.5D	6AL-4V	95	STD	1/16	HST418	HONEYCOMB
HST 319	156 FLUSH SHEAR 3.5D	6AL-4V	95	STD	1/16		HONEYCOMB
HST 320	PROTRUDING SHEAR 3.5D	A-286	95	STD	1/16	HST420	HONEYCOMB
HST 321	156 FLUSH SHEAR 3.5D	A-286	95	STD	1/16		HONEYCOMB
HST 325	130 FLUSH SHEAR RECESS	6AL-4V	95	STD	1/16		HEX RECESS
HST 327	130 FLUSH SHEAR CROWN	6AL-4V	95	STD	1/16		
HST 334	PROTRUDING SHEAR	ALLOY STEEL		1/32	1/16		1/32 OVERSIZE
HST 335	100 REDUCED FLUSH SHEAR CROWN	ALLOY STEEL		1/32	1/16		1/32 OVERSIZE
HST 338	PROTRUDING SHEAR	ALLOY STEEL	95	STD	1/16		STUD END
HST 339	PROTRUDING TENSION	6AL-4V	95	STD	1/16		STUD END
HST 345	100 MS20426 FLUSH SHEAR	6AL-4V	95	1/32	1/16		STUD-THREADED WITH SHANK PORTION, HEX BOTH ENDS, 1/32 OVERSIZE
HST 360	PROTRUDING TENSION	6AL-4V	95	STD	1/16	HST560	STUD-THREADED WITH SHANK PORTION, HEX BOTH ENDS
HST 410	PROTRUDING SHEAR	6AL-4V	95	1/32	1/16		1/32 OVERSIZE FOR HST10

HI-LITE PINS

PART NUMBER	HEAD STYLE	MATERIAL	SHEAR STRENGTH	SHANK DIAMETER	GRIP VARIATION	NEXT O/S	PIN DESCRIPTION
HST 411	100 REDUCED FLUSH SHEAR	6AL-4V	95	1/32	1/16		1/32 OVERSIZE FOR HST11
HST 412	PROTRUDING TENSION	6AL-4V	95	1/32	1/16		1/32 OVERSIZE FOR HST12
HST 413	100 MS24694 FLUSH TENSION	6AL-4V	95	1/32	1/16		1/32 OVERSIZE FOR HST13
HST 415	130 FLUSH SHEAR CROWN	6AL-4V	95	1/64	1/16	HST515	1/64 OVERSIZE FOR HST315
HST 416	PROTRUDING SHEAR 2D	A-286	95	1/64	1/16		1/64 OVERSIZE
HST 417	130 FLUSH SHEAR	A-286	95	1/64	1/16		1/64 OVERSIZE
HST 418	PROTRUDING SHEAR 3.5D	6AL-4V	95	1/64	1/16		HONEYCOMB, 1/64 OVERSIZE
HST 419	156 FLUSH SHEAR 3.5D	6AL-4V	95	1/64	1/16		HONEYCOMB, 1/64 OVERSIZE
HST 420	PROTRUDING SHEAR 3.5D	A-286	95	1/64	1/16		HONEYCOMB, 1/64 OVERSIZE
HST 421	156 FLUSH SHEAR 3.5D	A-286	95	1/64	1/16		HONEYCOMB, 1/64 OVERSIZE
HST 423	100 REDUCED FLUSH SHEAR CROWN	7075-T73	45				
HST 427	100 REDUCED FLUSH SHEAR	6AL-4V	95				STUD
HST 429	100 MS24694 FLUSH TENSION	7075-T73	45	1/32	1/16		1/32 OVERSIZE FOR HST129
HST 510	PROTRUDING SHEAR	6AL-4V	95	STD	1/16		
HST 511	100 REDUCED FLUSH SHEAR CROWN	6AL-4V	95	STD	1/16		
HST 512	PROTRUDING TENSION	6AL-4V	95	STD	1/16		SPECIAL THREAD LENGTH
HST 514	PROTRUDING TENSION	6AL-4V	95	STD	1/16		SPECIAL THREAD LENGTH
HST 515	130 FLUSH SHEAR CROWN	6AL-4V	95	1/32	1/16		1/32 OVERSIZE FOR HST315
HST 516	PROTRUDING SHEAR 3.5D	A-286	95	1/32	1/16		HONEYCOMB, 1/32 OVERSIZE

HI-LITE PINS

PART NUMBER	HEAD STYLE	MATERIAL	SHEAR STRENGTH	SHANK DIAMETER	GRIP VARIATION	NEXT O/S	PIN DESCRIPTION
HST 517	130 FLUSH SHEAR	A-286	95	1/32	1/16		HONEYCOMB, 1/32 OVERSIZE
HST 518	PROTRUDING SHEAR 3.5D	6AL-4V	95	1/32	1/16		HONEYCOMB, 1/32 OVERSIZE
HST 519	156 FLUSH SHEAR 3.5D	6AL-4V	95	1/32	1/16		HONEYCOMB, 1/32 OVERSIZE
HST 520	PROTRUDING SHEAR 3.5D	A-286	95	1/32	1/16		HONEYCOMB, 1/32 OVERSIZE
HST 523	100 MS20426 FLUSH SHEAR	6AL-4V	95	STD	1/16		
HST 525	100 MS20426 FLUSH SHEAR	6AL-4V	95	STD	1/16		
HST 527	100 REDUCED FLUSH SHEAR CROWN	6AL-4V	95	STD	1/16		HI-LOK THREAD LENGTH
HST 528	PROTRUDING TENSION	6AL-4V	95	STD	1/16		HI-LOK THREAD LENGTH
HST 529	100 MS20426 FLUSH SHEAR CROWN	6AL-4V	95	STD	1/16		HI-LOK THREAD LENGTH
HST 531	130 FLUSH SHEAR CROWN	6AL-4V	95	STD	1/16		HI-LOK THREAD LENGTH
HST 532	PROTRUDING SHEAR	7075-T73	45	STD	1/16		
HST 533	100 MS24694 FLUSH TENSION	6AL-4V	95	STD	1/16		
HST 535	130 FLUSH SHEAR	6AL-4V	95	STD	1/16		
HST 537	100 MS20426 FLUSH SHEAR	7075-T73	45	STD	1/16		
HST 538	PROTRUDING SHEAR 3.5D	6AL-4V	95	STD	1/16		HONEYCOMB
HST 553	100 REDUCED FLUSH SHEAR CROWN	6AL-4V	95	STD	1/16		SPECIAL THREAD
HST 555	100 FLUSH SHEAR SPECIAL	6AL-4V	95	STD	1/16		BREAK-STEM
HST 556	PROTRUDING TENSION	6AL-4V	95	STD	1/16		BREAK-STEM
HST 557	100 REDUCED FLUSH SHEAR	6AL-4V	95	STD	1/16		BREAK-STEM

HI-LITE PINS

PART NUMBER	HEAD STYLE	MATERIAL	SHEAR STRENGTH	SHANK DIAMETER	GRIP VARIATION	NEXT O/S	PIN DESCRIPTION
HST 562	PROTRUDING SEALING	ALLOY STEEL	95	STD	1/16		STUD-DOUBLE THREADED SHANK
HST 612	PROTRUDING TENSION	6AL-4V	95	1/64	1/16		SPECIAL THREAD LENGTH, 1/64 OVERSIZE
HST 613	100 MS24694 FLUSH TENSION	6AL-4V	95	STD	3/32	HST713	HONEYCOMB
HST 614	PROTRUDING SHEAR 2D	6AL-4V	95	STD	3/32	HST714	HONEYCOMB
HST 615	100 REDUCED FLUSH SHEAR CROWN	6AL-4V	95	STD	3/32	HST715	HONEYCOMB
HST 616	PROTRUDING TENSION	6AL-4V	95	STD	3/32		HONEYCOMB
HST 620	PROTRUDING SHEAR	ALLOY STEEL	95	STD	3/32		BREAK-STEM
HST 621	100 REDUCED FLUSH SHEAR	ALLOY STEEL	95	STD	3/32		BREAK-STEM
HST 627	100 REDUCED FLUSH SHEAR CROWN	6AL-4V	95	1/64	1/16	HST727	HI-LOK THREAD LENGTH, 1/64 OVERSIZE
HST 628	PROTRUDING TENSION	6AL-4V	95	1/64	1/16	HST728	HI-LOK THREAD LENGTH, 1/64 OVERSIZE
HST 629	100 MS20426 FLUSH SHEAR	6AL-4V	95	1/64	1/16	HST729	HI-LOK THREAD LENGTH, 1/64 OVERSIZE
HST 631	130 FLUSH SHEAR CROWN	6AL-4V	95	1/64	1/16	HST731	HI-LOK THREAD LENGTH
HST 633	100 MS24694 FLUSH TENSION	6AL-4V	95	1/64	1/16	HST733	SPECIAL THREAD LENGTH, 1/64 OVERSIZE
HST 635	130 FLUSH SHEAR	6AL-4V	95	1/64	1/16		STUD-THREADED, HEX BOTH ENDS
HST 644	PROTRUDING SHEAR	PH13 3MO	125	STD	1/16		
HST 645	100 REDUCED FLUSH SHEAR	PH13 3MO	125	STD	1/16		
HST 646	PROTRUDING TENSION	PH13 3MO	125	STD	1/16		
HST 647	100 MS24694 FLUSH TENSION	PH13 3MO	125	STD	1/16		
HST 648	PROTRUDING TENSION	A-286	95	STD	3/32		

HI-LITE PINS

PART NUMBER	HEAD STYLE	MATERIAL	SHEAR STRENGTH	SHANK DIAMETER	GRIP VARIATION	NEXT O/S	PIN DESCRIPTION
HST 650	PROTRUDING SHEAR	ALLOY STEEL	95	STD	3/32		
HST 651	100 REDUCED FLUSH SHEAR	ALLOY STEEL	95	STD	3/32		
HST 656	PROTRUDING SHEAR	ALLOY STEEL	95	1/64	3/32		
HST 657	100 REDUCED FLUSH SHEAR	INCONEL 718	125	STD	1/16		
HST 658	PROTRUDING TENSION	A-286	95	STD	3/32		
HST 662	PROTRUDING TENSION	6AL-4V	95	STD	3/32		
HST 663	100 MS24694 FLUSH TENSION	6AL-4V	95	STD	3/32		
HST 668	PROTRUDING TENSION	A-286	95	1/32	3/32		1/32 OVERSIZE
HST 713	100 MS24694 FLUSH TENSION	6AL-4V	95	1/64	3/32		HONEYCOMB, 1/64 OVERSIZE
HST 714	PROTRUDING SHEAR 2D	6AL-4V	95	1/64	3/32		HONEYCOMB, 1/64 OVERSIZE
HST 715	100 REDUCED FLUSH SHEAR CROWN	6AL-4V	95	1/64	3/32		HONEYCOMB, 1/64 OVERSIZE
HST 720	PROTRUDING TENSION	ALLOY STEEL	108	STD	1/16		
HST 727	100 REDUCED FLUSH SHEAR CROWN	6AL-4V	95	1/32	1/16		HI-LOK THREAD LENGTH, 1/32 OVERSIZE
HST 728	PROTRUDING TENSION	6AL-4V	95	1/32	1/16		HI-LOK THREAD LENGTH, 1/32 OVERSIZE
HST 729	100 MS20426 FLUSH SHEAR	6AL-4V	95	1/32	1/16		HI-LOK THREAD LENGTH, 1/32 OVERSIZE
HST 731	130 FLUSH SHEAR CROWN	6AL-4V	95	1/32	1/16		HI-LOK THREAD LENGTH, 1/32 OVERSIZE
HST 733	100 MS24694 FLUSH TENSION	6AL-4V	95	1/32	1/16		1/32 OVERSIZE
HST 735	130 FLUSH SHEAR	6AL-4V	95	1/32	1/16		STUD, 1/32 OVERSIZE
HST 739	100 FLUSH SHEAR SEALING	A-286	95	1/64	1/16		SEALING APPLICATION, 1/64 OVERSIZE

HI-LITE PINS

PART NUMBER	HEAD STYLE	MATERIAL	SHEAR STRENGTH	SHANK DIAMETER	GRIP VARIATION	NEXT O/S	PIN DESCRIPTION
HST 744	PROTRUDING SHEAR	PH13-8MO	125	1/64	1/16	HST844	1/64 OVERSIZE
HST 745	100 REDUCED FLUSH SHEAR	PH13-8MO	125	1/64	1/16	HST845	1/64 OVERSIZE
HST 748	PROTRUDING TENSION	A-286	95	1/32	1/16		1/32 OVERSIZE
HST 749	100 MS24694 FLUSH TENSION	A-286	95	1/32	1/16		1/32 OVERSIZE
HST 755	100 FLUSH SHEAR SPECIAL	6AL-4V	95	STD	1/16	HST855	
HST 756	PROTRUDING TENSION	6AL-4V	95	STD	1/16	HST856	
HST 757	100 FLUSH SHEAR SPECIAL	A-286	95	STD	1/16		
HST 760	PROTRUDING TENSION	A-286	95				
HST 764	PROTRUDING TENSION	ALLOY STEEL	108	1/64	1/16	HST820	1/64 OVERSIZE
HST 803	100 FLUSH SHEAR SPECIAL	ALLOY STEEL	108	STD	1/16	HST823	
HST 813	100 MS24694 FLUSH TENSION	6AL-4V	95	1/32	3/32		HONEYCOMB, 1/32 OVERSIZE
HST 814	PROTRUDING SHEAR 2D	6AL-4V	95	1/32	3/32		HONEYCOMB, 1/32 OVERSIZE
HST 815	100 REDUCED FLUSH SHEAR CROWN	6AL-4V	95	1/32	3/32		HONEYCOMB, 1/32 OVERSIZE
HST 820	PROTRUDING TENSION	ALLOY STEEL	108	1/32	1/16		1/32 OVERSIZE
HST 823	100 REDUCED FLUSH SHEAR	ALLOY STEEL	108	1/64	1/16	HST833	1/64 OVERSIZE
HST 839	100 FLUSH SHEAR SEALING	A-286	95	1/32	1/16		SEALING APPLICATION, 1/32 OVERSIZE
HST 844	PROTRUDING SHEAR	PH13-8MO	125	1/32	1/16		1/32 OVERSIZE
HST 845	100 REDUCED FLUSH SHEAR	PH13-8MO	125	1/32	1/16		1/32 OVERSIZE
HST 855	100 FLUSH SHEAR SPECIAL	6AL-4V	95	1/64	1/16	HST859	1/64 OVERSIZE FOR HST755

HI-LITE PINS

PART NUMBER	HEAD STYLE	MATERIAL	SHEAR STRENGTH	SHANK DIAMETER	GRIP VARIATION	NEXT O/S	PIN DESCRIPTION
HST 856	PROTRUDING TENSION	6AL-4V	95	1/64	1/16		1/64 OVERSIZE
HST 857	100 FLUSH SHEAR SPECIAL	A-286	95	1/64	1/16		1/64 OVERSIZE
HST 858	PS2.5D	6AL-4V	95				HONEYCOMB
HST 859	100 FLUSH SHEAR SPECIAL	6AL-4V	95	1/32	1/16		1/32 OVERSIZE FOR HST755
HST 860	PROTRUDING TENSION	6AL-4V	95	1/32	1/16		1/32 OVERSIZE
HST 900	100 FLUSH SHEAR SPECIAL	6AL-4V	95	STD	1/16		LEADIN RADIUS
HST 910	PROTRUDING SHEAR	6AL-6V-2SN					
HST 911	100 REDUCED FLUSH SHEAR	6AL-6V-2SN					
HST 912	PROTRUDING TENSION	6AL-6V-2SN					
HST 920	PROTRUDING TENSION	ALLOY STEEL	95	STD	1/16		LEADIN RADIUS
HST 928	PROTRUDING SHEAR	ALLOY STEEL	108	STD	1/16		
HST 929	100 REDUCED FLUSH SHEAR	ALLOY STEEL	108	STD	1/16		
HST 950	100 FLUSH SHEAR SPECIAL	ALLOY STEEL	95	STD	1/16		LEADIN RADIUS
HST 955	100 FLUSH SHEAR SPECIAL	6AL-4V	85	STD	1/16	HST957	
HST 956	PROTRUDING TENSION	6AL-4V	85	STD	1/16	HST958	
HST 957	100 FLUSH SHEAR SPECIAL	6AL-4V	85	1/64	1/16	HST959	1/64 OVERSIZE FOR HST955
HST 958	PROTRUDING TENSION	6AL-4V	85	1/64	1/16	HST960	1/64 OVERSIZE FOR HST956
HST 959	100 FLUSH SHEAR SPECIAL	6AL-4V	85	1/32	1/16		1/32 OVERSIZE FOR HST955
HST 960	PROTRUDING TENSION	6AL-4V	85	1/32	1/16		1/32 OVERSIZE FOR HST956

HI-LITE PINS

PART NUMBER	HEAD STYLE	MATERIAL	SHEAR STRENGTH	SHANK DIAMETER	GRIP VARIATION	NEXT O/S	PIN DESCRIPTION
HST1527	100 REDUCED FLUSH SHEAR CROWN	6AL-4V	95	STD	1/16	HST627	HI-LOK THREAD LENGTH, SPECIAL SHANK
HST1528	PROTRUDING TENSION	6AL-4V	95	STD	1/16	HST628	HI-LOK THREAD LENGTH, SPECIAL SHANK
HST1529	100 MS20426 FLUSH SHEAR	6AL-4V	95	STD	1/16	HST629	HI-LOK THREAD LENGTH, SPECIAL SHANK